



Control Panels | Hardware | Software



Issued: November 2024

Contents

Control Panels

- ChallengerPlus
- Challenger10
- ChallengerLEPlus

Access Controllers

- NAC
- NAC with Wiegand
- Intelligent 4DC/4LC

Hardware Comparison Matrix

- ChallengerPlus
- Challenger10
- ChallengerLEPlus
- Network Access Controller

Data Gathering Panels and Expanders

Software Comparison Matrix

- CTPlus
- WMS Pro
- TecomC4
- Forcefield

Hardware Comparisons



Control Panels

	ChallengerPlus	Challenger10	ChallengerLEPlus
	TS-CHPLUS	TS1016	TS1016LEPLUS
Inputs	1,008	1,008	40 physical + 8 logical
- Onboard	16	16	8
Relays	512	512	32
- Onboard			
Areas	99	99	16
Area Groups	255	255	32
Alarm Groups	255	255	42
Door Groups	255	255	32
Floor Groups	128	128	16
Timezones	46	46	24
Soft timezones	16	16	16
Holidays	24	24	24
Holiday types	8	8	8
Users	65,535 (with TS1084)	65,535 (with TS1084)	100
- Onboard, with names	2,000	2,000	100
- Card data bit length	48 bits	48 bits	48 bits
Doors	128	128	16
- Standard Doors	32		8
- Controller Doors	96	96	
Lifts	98	96	1
- Standard Lifts	2		1
- Controller Lifts	96	96	
Readers	416	416	18
- Per Standard Door	1		1
- Per Controller Door	4	4	
- Per Standard Lift	2		2
- Per Controller Lift	4	4	
Floors	64	64	10
- Standard Lift Floors	10 (per Lift)	• •	10 (total)
- Controller Lift Floors	64	64	To (total)
RS-485 LANs	2	2	1
DGPs	31	31	1
RASs	32	32	16
RAS area-LED mapping			
Input shunt timers	32	32	16
Macro logic programs	48	48	16
Event flags	255	255	100
Financial options	✓		100
Vault programming	<u>√</u>	∨	
	✓	∨	
Total disarm areas Area search mode		∨	
			E00
Alarm history events	5,000	5,000	500
Access history events	5,000	5,000	500
Event Log History	10,000	10,000	1,000
Automation zones	100	100	20
Communication Paths	10	10	10
UltraSync support	√		√
Ethernet	√	√	√
USB Device	√	√	✓
SD card backup/restore	✓	✓	

Access Controllers

	Network Access	Network Access Controller (NAC) NAC with Wiegand		Intelligent 4 Door/Lift Controller		
	TS1066-4	TS1066	TS1067	TS0866	TS0867	TS0869
Inputs	1,0	00	1,024		80	
- Onboard	8	}	16	8	16	16
Relays	51	2	512		64	
- Onboard	4		5		4	
Doors / Lifts	4	8	8		4	
- Default	4	8	4		4	
Readers	24	48	48		16	
- Per Door / Lift	6	;	6		4	
- Onboard Wiegand	No	ne	4	None	4	4
Floors	10	00	100		64	
Users	250,	000	250,000	65,5	35 (with TS0	884)
- Default	250,	000	2,000		2,000	
- Card data bit length	128	bits	128 bits		48 bits	
Door Groups	10,0	000	10,000		255	
Floor Groups	1,0	00	1,000	128		
Alarm Control Levels	10	0	100			
Timezones	2,0	00	2,000	46		
Holidays	10	0	100	24		
Holiday types	8	}	8	8		
RS-485 LANs	2		2	1		
DGPs	3:	1	31		15	
RASs	32	2	32		16	
OSDP Devices	32	2	32			
Scheduled Actions	10	00	100			
Alarm history events	50,0	000	50,000		5,000	
Access history events	50,0	000	50,000	5,000		
Event Log History	100,	000	100,000	10,000		
Communication Paths	10)	10			
USB	✓	/	✓			
Ethernet	✓	<u></u>	✓			
Supported Head-ends						
- Direct to Software	✓	/	✓			
- ChallengerPlus	✓	/	✓		✓	
- Challenger10					✓	

Hardware Comparison Matrix

	ChallengerPlus	Challenger10	ChallengerLEPlus	NAC
	TS-CHPLUS	TS1016	TS1016LEPLUS	TS1066 / TS1067E
Memory Modules	10 0111 200	101010	101010221200	1010007 1010012
TS1084 - Memory Module expands to 65,535 users	✓	✓		
Communication Devices				
TS0098 - IP LAN Adaptor	√1	√1	√ 1	√ 1
TS1053 - 3G Communication Module	✓	✓	✓	
TS1054 - 4G Communication Module	✓	✓	✓	
TS0840 - 4 way relay	✓	✓	✓	✓
TS0841 / TS1041 - 8 way relay	✓	✓	✓	✓
TS0842 - 16 way open connector	✓	✓	✓	✓
TS0893 - LAN Isolation interface	✓	✓	✓	✓
TS0896 - RS485 to Fibre Interface	√ 2	√ 2	√ 2	√ 2
Data Gathering Panels (DGPs)				
TS1020 - Challenger10 DGP	✓	✓	✓	✓
TS0820 - Challenger V8 DGP	✓	✓	✓	✓
TS0825E - Wireless DGP	✓	✓		
TS0824 - Challenger V8 DGP, DC	✓	✓		
TS0827 - Challenger V8 4-input	✓	✓		✓
TS1061 - Dual Wiegand Interface	✓		✓	✓
Access Controllers				
TS0862 - Smart single-door controller	✓	✓	✓	✓
TS0866 - Intelligent four-door controller	√3	√ 3		
TS0867 - Intelligent four-door controller	√ 3	√ 3		
TS0869 - Intelligent four-lift controller	√ 3	√ 3		
TS1066 - Network Access Controller	✓			
TS1067E - Network Access Controller w/ onboard Wiegand	✓			

⁽¹⁾ Requires firmware version 3893 or greater

Data Gathering Panels and Expanders

	TS0021	TS1021
TS1020 - Analogue DGP (requires firmware version 5170 or greater)	✓	✓
TS0820 - Challenger V8 DGP	✓	
TS0866 - Intelligent four-door controller	✓	
TS1067 - Network Access Controller with Wiegand		✓

Coffware	Version		Latest Firmware Support	
Software	version	ChallengerPlus	Challenger10	ChallengerLEPlus
CTPlus	3.2	V10-07	V10-06	V10-07
Forcefield	8.1.0	V10-07	V10-06	V10-07
TecomC4	2023	V10-07	V10-06	V10-07
WMS Pro	2.2	V10-07		
TecomPlus Mobile app	2.0.9	V10-07		V10-07
WMS	2.5	V10-07	V10-06	V10-07

⁽²) Requires firmware version 2050-003 or greater

⁽³⁾ Requires firmware version R110613.801 or greater

Software Comparisons



Software Comparison Matrix

	CTPlus	WMS Pro	TecomC4	Forcefield
Challenger panel support				
ChallengerPlus	√	√	√	√
Challenger10	√		√	√
ChallengerLEPlus	√		√	√
Network Access Controller	√		✓	√
Panel configuration upload/download	✓	✓		√
Panel user management	✓	✓	Download	Download
Panel user upload	✓	✓		
IltraSync connection	✓			
IDP/IP connection	✓		✓	✓
CP/IP connection		✓		✓
ialler connection	✓			✓
G/4G Communication Module configuration	✓			✓
ommunicate via 3G/4G Communication Module		✓		✓
Bus configuration	✓			✓
S-Bus control	✓	✓		
SB connection	✓			
anel time synchronisation	✓	✓	✓	✓
rmware update utility	✓			
Challenger firmware feature support (minimum)	V10-06	V10-07	V10-06	V10-02
hallenger firmware feature support (maximum)	V10-07	V10-07	V10-07	V10-07
itan migration	✓			Partial
S/Database support				
Vindows Server 2022		✓	✓	
/indows Server 2019		✓	✓	
/indows Server 2016		✓	✓	
/indows 11	✓	✓	✓	Client only
/indows 10	✓	✓	✓	Client only
NX4				Server only
atabase	MS SQL Local DB	MS SQL	MS SQL	RAIMA
DBC compatible database	✓	✓	✓	
upported in ESXi environment				√
ystem Management				
Jarm management	✓	✓	√	√
iraphic maps				√
fulti-client		✓	<u> </u>	<u> </u>
lulti-tenancy			<u> </u>	<u> </u>
dvanced operator permissions	✓		<i>✓</i>	
oftware triggering	<u> </u>	<u> </u>	<u> </u>	<u> </u>
			MS SQL	<u> </u>
ff-site redundancy				
	✓	Manual	\checkmark	\checkmark
atabase backup	✓	Manual	√	√
atabase backup larm management	✓			
atabase backup Iarm management Iarm priorities	√	99	4	9
atabase backup larm management larm priorities redefined alarm responses		99 √	4	9
Infr-site redundancy Intralate redundancy Interest redundan	✓ ✓	99	4	9 🗸
atabase backup larm management arm priorities redefined alarm responses arm follow up mail notification		99 √	4	9
atabase backup Iarm management Iarm priorities redefined alarm responses		99 √	4	9 🗸

Software Comparison Matrix cont...

	CTPlus	WMS Pro	TecomC4	Forcefield
Interface options				
Client interface	Windows	Web	Windows	Windows
Multi-monitor support	✓	✓	✓	
Customisable UI style		✓		
Access control				
Swipe and show (door monitor)		API	✓	✓
Guard tours				✓
Door override			✓	✓
User management				
Customisable user maintenance		✓	✓	✓
Smart card programmer integration	✓	✓		✓
Multi-controller access rights		UAGs	Access levels	Profiles
Photo ID		✓	✓	✓
Maximum users	65,535	Unlimited	Unlimited	1,000,000
User import (Automatic / Manual)		API	✓	✓
User export (Automatic / Manual)		API	Manual	✓
Reporting				
Automated reports				✓
Custom history report	✓	✓	✓	
Report templates			✓	Partial
Time and attendance			✓	✓
Features				
Bulk card creation	✓	API	✓	✓
Bulk card edit	✓	API	✓	✓
Bulk person edit	✓	API	✓	✓
Bulk device edit (inputs etc.)	✓	✓	✓	
Scalability				
Clients		300	Unlimited	200
Maximum devices			10,000	
- Maximum panels	16 (active)	300		2,560
- Maximum DVRs	1 (per panel)			999
Events per second		50+	20+	20
Maximum database size	10 GB	Unlimited	Unlimited	2 GB
Third Party Integration				
3rd party person management		REST API	SDK	Protocol
3rd party status and control		REST API		
3rd party alarm interface				✓
3rd party video support			✓	✓
Event output		API		✓
ASCII data output (IP or serial)				✓
TruVision video	✓		✓	✓
Genetec video			✓	✓
Pacom video			✓	
Dallmeier			✓	
Geutebruck			✓	
HIK Vision			✓	
HIK Vision Dahua			√ √	

Software Comparison Matrix cont...

	CTPlus	WMS Pro	TecomC4	Forcefield
Third Party Integration cont.				
Commend IP intercom				✓
Jacques 550 intercom				✓
Teleste VMX IP video system				✓
DVTel alarm interface				✓
Ascom Nira duress				✓
KONE destination lift interface			✓	✓
Schindler destination lift interface			✓	
Otis destination lift interface				✓
Visitor Management		API	✓	
Video integration (Aritech) - please refer to individ	ual product interface data	sheets for detailed func	tionality	
View live and recorded footage	✓		✓	✓
Access and alarm event tagging				✓
PTZ control			✓	✓
Megapixel IP camera support	✓		✓	✓
Multiview support	✓		✓	✓
Export recorded footage			✓	✓
Save snapshots of live or recorded footage			✓	✓
High or low bandwidth video streams	✓		✓	✓
Pop up video on event			✓	✓
Export video clip from client			✓	✓
Full video device configuration				✓
DVR time synchronisation			✓	✓
Custom camera layouts				✓
Receive video system alarms			✓	✓
Control playback direction and speed	✓		✓	✓
Camera import function	✓		✓	✓

WMS Pro API Support

	WMS Pro	S Pro WMS Pro WMS		WMS Pro	WMS Pro	
	V1.0	V1.2	V2.0	V2.1	V2.2	
CTPlus 2.8	✓					
CTPlus 2.9		✓				
CTPlus 3.0			✓	✓	✓	
CTPlus 3.1			✓	✓	✓	
CTPlus 3.2				✓	✓	
SCPInterface v1.0.0.2	✓					
SCPInterface v1.0.0.4		✓	✓	✓	✓	
Cardholders API				API v1	API v1	
3rd Party API					API v2	

Tecom Software

WMS Pro Software



WMS Pro is available to trained installers and is available through an authorised Tecom distributor. To locate an authorised Tecom Distributor, visit our website. A copy of the software may be downloaded at any time from our online library, and includes a 60-day free trial of the Lite Edition. Installers wanting to purchase WMS Pro must complete relevant training prior to registering the product, which may be completed online.

TecomC4 Software

TecomC4 is available to trained installers and is available through an authorised Tecom distributor. To locate an authorised Tecom Distributor, visit our <u>website</u>. Once you have been trained, you can place your order <u>online</u>. A link will be sent to your registered email address where you can download the latest version of TecomC4 software.

Download TecomPlus Mobile App today for your ChallengerPlus control panel



TecomPlus Mobile takes advantage of the latest technology, allowing you to connect your panel over the UltraSync network. Perform the most important keypad functions on your favourite digital device, from any location, at any time.

The simple but powerful interface allows you to open doors, arm/disarm areas, isolate inputs or control lighting. You can also view panel history and outstanding alarms on all of your popular digital devices.





Downloads and Resource Documents

The Tecom Challenger portfolio provides a number of options to ensure your security needs are met. The resource library on our <u>website</u> contains all the information you'll need to make sure you are getting the best from your Tecom solution.

Don't forget to visit our website to download the latest software and firmware versions.

About Aritech

Aritech provides leading security and life-safety solutions for both commercial and residential applications covering intrusion, video, transmission and access. Offering some of the most-trusted product names in the industry, and backed by ongoing partner services and support, Aritech helps customers secure and protect what matters most.

For more information visit our <u>website</u>.
Follow us on LinkedIn @Aritech Australia.



